

INCIDENT RADIO COMMUNICATIONS PLAN (ICS 205)

1. Incident Name: 2023 Simulated Emergency Test Amateur Radio Emergency Services Tulsa & Rogers Counties. Page 1 of 2	2. Date/Time Prepared: Date: Sept 22, 2023 Time: 1400 hrs Central Time	3. Operational Period: Date From: OCT 7 Date To: OCT 7 Time From: 0900 Time To: 1200
---	---	---

4. Basic Radio Channel Use:										
Zone Grp.	Ch #	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq N or W	RX Tone/NAC	TX Freq N or W	TX Tone/NAC	Mode (A, D, or M)	Remarks
	1	Staging	TARC 11	COMMS	145.110	None	144.510	88.5	A	All resources check in here first. NCO: Russ, KF5UZG
	2	TAEMA Ops	TAEMA 835	COMMS	146.835	103.5	146.235	103.5	A	TAEMA Operations (Analog only) NCO: James, KI5DAZ
	3	Tulsa Cnty Ops	TRO 94	COMMS	146.940	None	146.340	88.5	A	Tulsa County Operations NCO: Ian, KC9THI
	4	Rogers Cnty Ops	RCWA 09	COMMS	147.090	None	147.690	88.5	A	Rogers County Operations NCO: Ray, K5CFY
	5	Winlink Ops	TARC 750	COMMS	443.750	None	448.750	88.5	A	Winlink digipeater (SET only) NCO: Jeff, AE5ME (AE5ME-13)
	6	Hospital Net	TARC 17	COMMS	145.170	None	144.570	88.5	A	Hospital Net (SET only) NCO: James, KI5DAZ
	7	Damage Assessments	TRO 88	COMMS	146.880	None	146.280	88.5	A	Use only when advised. (SET only) NCO: James KI5DAZ
	8	Digital Mobile Radio	DMR Tulsa Central	COMMS	442.475	None	447.475		D	Talk Group: 3140 OK Statewide NCO: Greg, AI5HV

5. Special Instructions:
 All NCO's and local operators start by checking in on the Staging net.

Winlink messages may be sent within Oklahoma on any gateway available using 145.030. Please conform to guidance from AE5ME regarding NTS and Winlink messages.

IC for the exercise is Paul Teel, WB5ANX, Tulsa EC

6. Prepared by (Communications Unit Leader): Name: Paul Teel, 918-998-8032 Signature: _____

INCIDENT RADIO COMMUNICATIONS PLAN (ICS 205)

1. Incident Name: Emergency Test Amateur Radio Emergency Services Tulsa & Rogers Counties. Page 2 of 2	2. Date/Time Prepared: Date: Sept 22, 2023 Time: 1400 hrs Central Time	3. Operational Period: Date From: OCT 7 Date To: OCT 7 Time From: 0900 Time To: 1200
--	---	---

4. Basic Radio Channel Use:										
Zone Grp.	Ch #	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq N or W	RX Tone/NAC	TX Freq N or W	TX Tone/NAC	Mode (A, D, or M)	Remarks
	9	Winlink VHF Gateway	Winlink Gateway Ft Gibson	COMMS	145.030	None	145.030	None	D	Gateway for AE5ME-14 No NCO
	10	Winlink HF 40 meters	Winlink HF Gateway	COMMS	7.10	None	7.100	None	D	Gateway for AE5ME-13 No NCO
	11	Winlink HF 80 meters	Winlink HF Gateway	COMMS	3.595	None	3.595	None	D	Gateway for AE5ME-13 No NCO
	12	Okla Link Comms	Claremore Fusion Repeater	COMMS	444.350	None	449.350	None	D	Oklahoma Link NCO: Greg, AI5HV
	13	Okla Link Comms	Tulsa Fusion Repeater	COMMS	443.000	None	448.000	None	D	Oklahoma Link NCO: Greg, AI5HV
	14	Command	TRO Metro UHF	COMMS	444.100	None	449.100	88.5	A	To be used by NCO's only for command related traffic.

5. Special Instructions:
 All NCO's and local operators start by checking in on the Staging net. See ICS-205 page 1 and Channel #1.

Winlink messages may be sent within Oklahoma on any gateway available using 145.030. Please conform to guidance from AE5ME regarding NTS and Winlink messages.

IC for the exercise is Paul Teel, WB5ANX, Tulsa EC

6. Prepared by (Communications Unit Leader): Name: Paul Teel, 918-998-8032 Signature: _____

ICS 205 Incident Radio Communications Plan

Purpose. The Incident Radio Communications Plan (ICS 205) provides information on all radio frequency or trunked radio system talkgroup assignments for each operational period. The plan is a summary of information obtained about available radio frequencies or talkgroups and the assignments of those resources by the Communications Unit Leader for use by incident responders. Information from the Incident Radio Communications Plan on frequency or talkgroup assignments is normally placed on the Assignment List (ICS 204).

Preparation. The ICS 205 is prepared by the Communications Unit Leader and given to the Planning Section Chief for inclusion in the Incident Action Plan.

Distribution. The ICS 205 is duplicated and attached to the Incident Objectives (ICS 202) and given to all recipients as part of the Incident Action Plan (IAP). All completed original forms must be given to the Documentation Unit. Information from the ICS 205 is placed on Assignment Lists.

Notes:

- The ICS 205 is used to provide, in one location, information on all radio frequency assignments down to the Division/Group level for each operational period.
- The ICS 205 serves as part of the IAP.

Block Number	Block Title	Instructions
1	Incident Name	Enter the name assigned to the incident.
2	Date/Time Prepared	Enter date prepared (month/day/year) and time prepared (using the 24-hour clock).
3	Operational Period <ul style="list-style-type: none"> • Date and Time From • Date and Time To 	Enter the start date (month/day/year) and time (using the 24-hour clock) and end date and time for the operational period to which the form applies.
4	Basic Radio Channel Use	Enter the following information about radio channel use:
	Zone Group	
	Channel Number	Use at the Communications Unit Leader's discretion. Channel Number (Ch #) may equate to the channel number for incident radios that are programmed or cloned for a specific Communications Plan, or it may be used just as a reference line number on the ICS 205 document.
	Function	Enter the Net function each channel or talkgroup will be used for (Command, Tactical, Ground-to-Air, Air-to-Air, Support, Dispatch).
	Channel Name/Trunked Radio System Talkgroup	Enter the nomenclature or commonly used name for the channel or talk group such as the National Interoperability Channels which follow DHS frequency Field Operations Guide (FOG).
	Assignment	Enter the name of the ICS Branch/Division/Group/Section to which this channel/talkgroup will be assigned.
	RX (Receive) Frequency (N or W)	Enter the Receive Frequency (RX Freq) as the mobile or portable subscriber would be programmed using xxx.xxxx out to four decimal places, followed by an "N" designating narrowband or a "W" designating wideband emissions. The name of the specific trunked radio system with which the talkgroup is associated may be entered across all fields on the ICS 205 normally used for conventional channel programming information.
	RX Tone/NAC	Enter the Receive Continuous Tone Coded Squelch System (CTCSS) subaudible tone (RX Tone) or Network Access Code (RX NAC) for the receive frequency as the mobile or portable subscriber would be programmed.

Block Number	Block Title	Instructions
4 (continued)	TX (Transmit) Frequency (N or W)	Enter the Transmit Frequency (TX Freq) as the mobile or portable subscriber would be programmed using xxx.xxxx out to four decimal places, followed by an "N" designating narrowband or a "W" designating wideband emissions.
	TX Tone/NAC	Enter the Transmit Continuous Tone Coded Squelch System (CTCSS) subaudible tone (TX Tone) or Network Access Code (TX NAC) for the transmit frequency as the mobile or portable subscriber would be programmed.
	Mode (A, D, or M)	Enter "A" for analog operation, "D" for digital operation, or "M" for mixed mode operation.
	Remarks	Enter miscellaneous information concerning repeater locations, information concerning patched channels or talkgroups using links or gateways, etc.
5	Special Instructions	Enter any special instructions (e.g., using cross-band repeaters, secure-voice, encoders, private line (PL) tones, etc.) or other emergency communications needs). If needed, also include any special instructions for handling an incident within an incident.
6	Prepared by (Communications Unit Leader) <ul style="list-style-type: none"> • Name • Signature • Date/Time 	Enter the name and signature of the person preparing the form, typically the Communications Unit Leader. Enter date (month/day/year) and time prepared (24-hour clock).